
Anti-Inflammatory Foods— Bibliography

Scientific/Medical Publications

- Hariharan R, Odjidja EN, Scott D, et al. The dietary inflammatory index, obesity, type 2 diabetes, and cardiovascular risk factors and diseases. *Obes Rev.* 2022;23(1):e13349. doi:10.1111/obr.13349.
- Furman D, Campisi J, Verdin E, et al. Chronic inflammation in the etiology of disease across the life span. *Nat Med.* 2019;25(12):1822-1832. doi:10.1038/s41591-019-0675-0.
- Kaur N, Chugh H, Sakharkar MK, Dhawan U, et al. Neuroinflammation mechanisms and phytotherapeutic intervention: a systematic review. *ACS Chem Neurosci.* 2020;11(22):3707-3731. doi:10.1021/acscchemneuro.0c00427.
- Porter Starr KN, Orenduff M, McDonald SR, et al. Influence of weight reduction and enhanced protein intake on biomarkers of inflammation in older adults with obesity. *J Nutr Gerontol Geriatr.* 2019;38(1):33-49. doi:10.1080/21551197.2018.1564200.
- Neale EP, Batterham MJ, Tapsell LC. Consumption of a healthy dietary pattern results in significant reductions in C-reactive protein levels in adults: a meta-analysis. *Nutr Res.* 2016;36(5):391-401. doi:10.1016/j.nutres.2016.02.009.
- Shivappa N, Steck SE, Hurley TG, et al. Designing and developing a literature-derived, population-based dietary inflammatory index. *Public Health Nutr.* 2014;17(8):1689-1696. doi:10.1017/S1368980013002115.
- Poles J, Karhu E, McGill M, et al. The effects of twenty-four nutrients and phytonutrients on immune system function and inflammation: a narrative review. *J Clin Transl Res.* 2021;7(3):333-376.
- Luvian-Morales J, Varela-Castillo FO, Flores-Cisneros L, et al. Functional foods modulating inflammation and metabolism in chronic diseases: a systematic review. *Crit Rev Food Sci Nutr.* 2021;1-22. doi:10.1080/10408398.2021.1875189.
- Lo CH, Lochhead P, Khalili H, et al. Dietary inflammatory potential and risk of Crohn's disease and ulcerative colitis. *Gastroenterology.* 2020;159(3):873-883.e1. doi:10.1053/j.gastro.2020.05.011.
- Wu D, Lewis ED, Pae M, Meydani SN. Nutritional modulation of immune function: analysis of evidence, mechanisms, and clinical relevance. *Front Immunol.* 2019;9:3160. doi:10.3389/fimmu.2018.03160.

Scientific/Medical Publications

- Mittal M, Siddiqui MR, Tran K, et al. Reactive oxygen species in inflammation and tissue injury. *Antioxid Redox Signal*. 2014;20(7):1126-1167. doi:10.1089/ars.2012.5149.
- Hosseini B, Berthon BS, Saedisomeolia A, et al. Effects of fruit and vegetable consumption on inflammatory biomarkers and immune cell populations: a systematic literature review and meta-analysis. *Am J Clin Nutr*. 2018;108(1):136-155. doi:10.1093/ajcn/nqy082.
- Hussain T, Tan B, Yin Y, et al. Oxidative stress and inflammation: what polyphenols can do for us? *Oxid Med Cell Longev*. 2016;2016:7432797. doi:10.1155/2016/7432797.
- Bolte LA, Vich Vila A, Imhann F, et al. Long-term dietary patterns are associated with pro-inflammatory and anti-inflammatory features of the gut microbiome. *Gut*. 2021;70(7):1287-1298. doi:10.1136/gutjnl-2020-322670.
- Jahns L, Conrad Z, Johnson LK, et al. A diet high in carotenoid-rich vegetables and fruits favorably impacts inflammation status by increasing plasma concentrations of IFN-alpha 2 and decreasing MIP-1 beta and TNF-alpha in healthy individuals during a controlled feeding trial. *Nutr Res*. 2018;52:98-104. doi:10.1016/j.nutres.2018.02.005.
- Schultz H, Ying GS, Dunaief JL, Dunaief DM. Rising plasma beta-carotene is associated with diminishing C-reactive protein in patients consuming a dark green leafy vegetable-rich, Low Inflammatory Foods Everyday (LIFE) diet. *Am J Lifestyle Med*. 2019;15(6):634-643. doi:10.1177/1559827619894954.
- Frugé AD, Smith KS, Riviere AJ, et al. A dietary intervention high in green leafy vegetables reduces oxidative DNA damage in adults at increased risk of colorectal cancer: biological outcomes of the randomized controlled Meat and Three Greens (M3G) feasibility trial. *Nutrients*. 2021;13(4):1220. doi:10.3390/nu13041220.
- Jockel-Schneider Y, Goßner SK, Petersen N, et al. Stimulation of the nitrate-nitrite-NO-metabolism by repeated lettuce juice consumption decreases gingival inflammation in periodontal recall patients: a randomized, double-blinded, placebo-controlled clinical trial. *J Clin Periodontol*. 2016;43(7):603-608. doi:10.1111/jcpe.12542.
- Moser B, Szekeres T, Bieglmayer C, et al. Impact of spinach consumption on DNA stability in peripheral lymphocytes and on biochemical blood parameters: results of a human intervention trial. *Eur J Nutr*. 2011;50(7):587-594. doi:10.1007/s00394-011-0167-6.
- Bohlooli S, Barmaki S, Khoshkharesh F, Nakhostin-Roohi B. The effect of spinach supplementation on exercise-induced oxidative stress. *J Sports Med Phys Fitness*. 2015;55(6):609-614.

Scientific/Medical Publications

- Navarro SL, Schwarz Y, Song X, et al. Cruciferous vegetables have variable effects on biomarkers of systemic inflammation in a randomized controlled trial in healthy young adults. *J Nutr.* 2014;144(11):1850-1857. doi:10.3945/jn.114.197434.
- Riso P, Vendrame S, Del Bo' C, et al. Effect of 10-day broccoli consumption on inflammatory status of young healthy smokers. *Int J Food Sci Nutr.* 2014;65(1):106-111. doi:10.3109/09637486.2013.830084.
- López-Chillón MT, Carazo-Díaz C, Prieto-Merino D, et al. Effects of long-term consumption of broccoli sprouts on inflammatory markers in overweight subjects. *Clin Nutr.* 2019;38(2):745-752. doi:10.1016/j.clnu.2018.03.006.
- Medina S, Domínguez-Perles R, Moreno DA, et al. The intake of broccoli sprouts modulates the inflammatory and vascular prostanoids but not the oxidative stress-related isoprostanes in healthy humans. *Food Chem.* 2015;173:1187-1194. doi:10.1016/j.foodchem.2014.10.152.
- Raubenheimer K, Hickey D, Leveritt M, et al. Acute effects of nitrate-rich beetroot juice on blood pressure, hemostasis and vascular inflammation markers in healthy older adults: a randomized, placebo-controlled crossover study. *Nutrients.* 2017;9(11):1270. doi:10.3390/nu9111270.
- Asgary S, Afshani MR, Sahebkar A, et al. Improvement of hypertension, endothelial function and systemic inflammation following short-term supplementation with red beet (*Beta vulgaris* L.) juice: a randomized crossover pilot study. *J Hum Hypertens.* 2016;30(10):627-632. doi:10.1038/jhh.2016.34.
- Butalla AC, Crane TE, Patil B, et al. Effects of a carrot juice intervention on plasma carotenoids, oxidative stress, and inflammation in overweight breast cancer survivors. *Nutr Cancer.* 2012;64(2):331-341. doi:10.1080/01635581.2012.650779.
- Darooghegi Mofrad M, Milajerdi A, et al. Garlic supplementation reduces circulating C-reactive protein, tumor necrosis factor, and interleukin-6 in adults: a systematic review and meta-analysis of randomized controlled trials. *J Nutr.* 2019;149(4):605-618. doi:10.1093/jn/nxy310.
- Colmán-Martínez M, Martínez-Huélamo M, Valderas-Martínez P, et al. Trans-Lycopene from tomato juice attenuates inflammatory biomarkers in human plasma samples: an intervention trial. *Mol Nutr Food Res.* 2017;61(11):10.1002/mnfr.201600993. doi:10.1002/mnfr.201600993.
- Cheng HM, Koutsidis G, Lodge JK, et al. Tomato and lycopene supplementation and cardiovascular risk factors: a systematic review and meta-analysis. *Atherosclerosis.* 2017;257:100-108. doi:10.1016/j.atherosclerosis.2017.01.009.

Scientific/Medical Publications

- Poulsen NB, Lambert MNT, Jeppesen PB. The effect of plant derived bioactive compounds on inflammation: a systematic review and meta-analysis. *Mol Nutr Food Res*. 2020;64(18):e2000473. doi:10.1002/mnfr.202000473.
- Espín JC, Larrosa M, García-Conesa MT, Tomás-Barberán F. Biological significance of urolithins, the gut microbial ellagic acid-derived metabolites: the evidence so far. *Evid Based Complement Alternat Med*. 2013;2013:270418. doi:10.1155/2013/270418.
- Basu A, Feng D, Planinic P, et al. Dietary blueberry and soluble fiber supplementation reduces risk of gestational diabetes in women with obesity in a randomized controlled trial. *J Nutr*. 2021;151(5):1128-1138. doi:10.1093/jn/nxaa435.
- Du C, Smith A, Avalos M, et al. Blueberries improve pain, gait performance, and inflammation in individuals with symptomatic knee osteoarthritis. *Nutrients*. 2019;11(2):290. doi:10.3390/nu11020290.
- Chew B, Mathison B, Kimble L, et al. Chronic consumption of a low calorie, high polyphenol cranberry beverage attenuates inflammation and improves glucoregulation and HDL cholesterol in healthy overweight humans: a randomized controlled trial. *Eur J Nutr*. 2019;58(3):1223-1235. doi:10.1007/s00394-018-1643-z.
- Novotny JA, Baer DJ, Khoo C, et al. Cranberry juice consumption lowers markers of cardiometabolic risk, including blood pressure and circulating C-reactive protein, triglyceride, and glucose concentrations in adults. *J Nutr*. 2015;145(6):1185-1193. doi:10.3945/jn.114.203190.
- Schell J, Betts NM, Lyons TJ, Basu A. Raspberries improve postprandial glucose and acute and chronic inflammation in adults with type 2 diabetes. *Ann Nutr Metab*. 2019;74(2):165-174. doi:10.1159/000497226.
- Jeong HS, Hong SJ, Lee TB, et al. Effects of black raspberry on lipid profiles and vascular endothelial function in patients with metabolic syndrome. *Phytother Res*. 2014;28(10):1492-1498. doi:10.1002/ptr.5154.
- Gao Q, Qin LQ, Arafa A, et al. Effects of strawberry intervention on cardiovascular risk factors: a meta-analysis of randomised controlled trials. *Br J Nutr*. 2020;124(3):241-246. doi:10.1017/S000711452000121X.
- Schell J, Scofield RH, Barrett JR, et al. Strawberries improve pain and inflammation in obese adults with radiographic evidence of knee osteoarthritis. *Nutrients*. 2017;9(9):949. doi:10.3390/nu9090949.
- Rocha DMUP, Lopes LL, da Silva A, et al. Orange juice modulates proinflammatory cytokines after high-fat saturated meal consumption. *Food Funct*. 2017;8(12):4396-4403. doi:10.1039/c7fo01139c.

Scientific/Medical Publications

- Chaves DFS, Carvalho PC, Brasili E, et al. Proteomic analysis of peripheral blood mononuclear cells after a high-fat, high-carbohydrate meal with orange juice. *J Proteome Res.* 2017;16(11):4086-4092. doi:10.1021/acs.jproteome.7b00476.
- Al-Aubaidy HA, Dayan A, Deseo MA, et al. Twelve-week Mediterranean diet intervention increases citrus bioflavonoid levels and reduces inflammation in people with type 2 diabetes mellitus. *Nutrients.* 2021;13(4):1133. doi:10.3390/nu13041133.
- Sánchez Macarro M, Martínez Rodríguez JP, Bernal Morell E, et al. Effect of a combination of citrus flavones and flavanones and olive polyphenols for the reduction of cardiovascular disease risk: an exploratory randomized, double-blind, placebo-controlled study in healthy subjects. *Nutrients.* 2020;12(5):1475. doi:10.3390/nu12051475.
- Liddle DM, Lin X, Cox LC, et al. Daily apple consumption reduces plasma and peripheral blood mononuclear cell-secreted inflammatory biomarkers in adults with overweight and obesity: a 6-week randomized, controlled, parallel-arm trial. *Am J Clin Nutr.* 2021;114(2):752-763. doi:10.1093/ajcn/nqab094.
- Zhu X, Xu G, Jin W, et al. Apple or apple polyphenol consumption improves cardiovascular disease risk factors: a systematic review and meta-analysis. *Rev Cardiovasc Med.* 2021;22(3):835-843. doi:10.31083/j.rcm2203089.
- Martin KR, Burrell L, Bopp J. Authentic tart cherry juice reduces markers of inflammation in overweight and obese subjects: a randomized, crossover pilot study. *Food Funct.* 2018;9(10):5290-5300. doi:10.1039/c8fo01492b.
- Losso JN, Finley JW, Karki N, et al. Pilot study of the tart cherry juice for the treatment of insomnia and investigation of mechanisms. *Am J Ther.* 2018;25(2):e194-e201. doi:10.1097/MJT.0000000000000584.
- Ammollo CT, Semeraro F, Milella RA, et al. Grape intake reduces thrombin generation and enhances plasma fibrinolysis. Potential role of circulating procoagulant microparticles. *J Nutr Biochem.* 2017;50:66-73. doi:10.1016/j.jnutbio.2017.08.012.
- Goulart MJVC, Pisamiglio DS, Möller GB, et al. Effects of grape juice consumption on muscle fatigue and oxidative stress in judo athletes: a randomized clinical trial. *An Acad Bras Cienc.* 2020;92(4):e20191551. doi:10.1590/0001-3765202020191551.
- Esmaeilinezhad Z, Barati-Boldaji R, Brett NR, et al. The effect of synbiotics pomegranate juice on cardiovascular risk factors in PCOS patients: a randomized, triple-blinded, controlled trial. *J Endocrinol Invest.* 2020;43(4):539-548. doi:10.1007/s40618-019-01139-x.

Scientific/Medical Publications

- Barati Boldaji R, Akhlaghi M, Sagheb MM, Esmaeilinezhad Z. Pomegranate juice improves cardiometabolic risk factors, biomarkers of oxidative stress and inflammation in hemodialysis patients: a randomized crossover trial. *J Sci Food Agric.* 2020;100(2):846-854. doi:10.1002/jsfa.10096.
- Craig WJ, Mangels AR, Fresán U, et al. The safe and effective use of plant-based diets with guidelines for health professionals. *Nutrients.* 2021;13(11):4144. doi:10.3390/nu13114144.
- Arabzadegan N, Daneshzad E, Fatahi S, et al. Effects of dietary whole grain, fruit, and vegetables on weight and inflammatory biomarkers in overweight and obese women. *Eat Weight Disord.* 2020;25(5):1243-1251. doi:10.1007/s40519-019-00757-x.
- Li G, Cheng T, Yu X. The impact of trace elements on osteoarthritis. *Front Med (Lausanne).* 2021;8:771297. doi:10.3389/fmed.2021.771297.
- Malik VS, Sudha V, Wedick NM, et al. Substituting brown rice for white rice on diabetes risk factors in India: a randomised controlled trial. *Br J Nutr.* 2019;121(12):1389-1397. doi:10.1017/S000711451900076X.
- Kazemzadeh M, Safavi SM, Nematollahi S, Nourieh Z. Effect of brown rice consumption on inflammatory marker and cardiovascular risk factors among overweight and obese non-menopausal female adults. *Int J Prev Med.* 2014;5(4):478-488.
- Callcott ET, Blanchard CL, Snell P, Santhakumar AB. The anti-inflammatory and antioxidant effects of pigmented rice consumption in an obese cohort. *Food Funct.* 2019;10(12):8016-8025. doi:10.1039/c9fo02261a.
- Wieslander G, Fabjan N, Vogrincic M, et al. Eating buckwheat cookies is associated with the reduction in serum levels of myeloperoxidase and cholesterol: a double blind crossover study in day-care centre staffs. *Tohoku J Exp Med.* 2011;225(2):123-130. doi:10.1620/tjem.225.123.
- Zhang T, Zhao T, Zhang Y, et al. Avenanthramide supplementation reduces eccentric exercise-induced inflammation in young men and women. *J Int Soc Sports Nutr.* 2020;17(1):41. doi:10.1186/s12970-020-00368-3.
- Pavadhgul P, Bumrungpert A, Harjani Y, Kurilich A. Oat porridge consumption alleviates markers of inflammation and oxidative stress in hypercholesterolemic adults. *Asia Pac J Clin Nutr.* 2019;28(2):260-265. doi:10.6133/apjcn.201906_28(2).0008.
- Anitha S, Botha R, Kane-Potaka J, et al. Can millet consumption help manage hyperlipidemia and obesity? A systematic review and meta-analysis. *Front Nutr.* 2021;8:700778. doi:10.3389/fnut.2021.700778.

Scientific/Medical Publications

- Gamel TH, Abdel-Aal EM, Tucker AJ, et al. Consumption of whole purple and regular wheat modestly improves metabolic markers in adults with elevated high-sensitivity C-reactive protein: a randomised, single-blind parallel-arm study. *Br J Nutr.* 2020;124(11):1179-1189. doi:10.1017/S0007114520002275.
- Whittaker A, Dinu M, Cesari F, et al. A Khorasan wheat-based replacement diet improves risk profile of patients with type 2 diabetes mellitus (T2DM): a randomized crossover trial. *Eur J Nutr.* 2017;56(3):1191-1200. doi:10.1007/s00394-016-1168-2.
- Spisni E, Valerii MC, De Fazio L, et al. A Khorasan wheat-based diet improves systemic inflammatory profile in semi-professional basketball players: a randomized crossover pilot study. *J Sci Food Agric.* 2020;100(11):4101-4107. doi:10.1002/jsfa.9947.
- Xu Y, Wan Q, Feng J, et al. Whole grain diet reduces systemic inflammation: a meta-analysis of 9 randomized trials. *Medicine (Baltimore).* 2018;97(43):e12995. doi:10.1097/MD.00000000000012995.
- Hajhashemi P, Haghighatdoost F. Effects of whole-grain consumption on selected biomarkers of systematic inflammation: a systematic review and meta-analysis of randomized controlled trials. *J Am Coll Nutr.* 2019;38(3):275-285. doi:10.1080/07315724.2018.1490935.
- Ferreira H, Vasconcelos M, Gil AM, Pinto E. Benefits of pulse consumption on metabolism and health: a systematic review of randomized controlled trials. *Crit Rev Food Sci Nutr.* 2021;61(1):85-96. doi:10.1080/10408398.2020.1716680.
- Salehi-Abargouei A, Saraf-Bank S, Bellissimo N, Azadbakht L. Effects of non-soy legume consumption on C-reactive protein: a systematic review and meta-analysis. *Nutrition.* 2015;31(5):631-639. doi:10.1016/j.nut.2014.10.018.
- Bilotta AJ, Cong Y. Gut microbiota metabolite regulation of host defenses at mucosal surfaces: implication in precision medicine. *Precis Clin Med.* 2019;2(2):110-119. doi:10.1093/pcmedi/pbz008.
- Kani AH, Alavian SM, Esmailzadeh A, et al. Effects of a low-calorie, low-carbohydrate soy containing diet on systemic inflammation among patients with nonalcoholic fatty liver disease: a parallel randomized clinical trial. *Horm Metab Res.* 2017;49(9):687-692. doi:10.1055/s-0042-118707.
- Khodarahmi M, Foroumandi E, Asghari Jafarabadi M. Effects of soy intake on circulating levels of TNF-alpha and interleukin-6: a systematic review and meta-analysis of randomized controlled trials. *Eur J Nutr.* 2021;60(2):581-601. doi:10.1007/s00394-020-02458-z.
- Maskarinec G, Ju D, Morimoto Y, et al. Soy food intake and biomarkers of breast cancer risk: possible difference in Asian women? *Nutr Cancer.* 2017;69(1):146-153. doi:10.1080/01635581.2017.1250924.

Scientific/Medical Publications

- Saraf-Bank S, Esmailzadeh A, Faghihimani E, Azadbakht L. Effect of non-soy legume consumption on inflammation and serum adiponectin levels among first-degree relatives of patients with diabetes: a randomized, crossover study. *Nutrition*. 2015;31(3):459-465. doi:10.1016/j.nut.2014.09.015.
- Alasalvar C, Chang SK, Bolling B, et al. Specialty seeds: nutrients, bioactives, bioavailability, and health benefits: a comprehensive review. *Compr Rev Food Sci Food Saf*. 2021;20(3):2382-2427. doi:10.1111/1541-4337.12730.
- Ros E, Singh A, O'Keefe JH. Nuts: natural pleiotropic nutraceuticals. *Nutrients*. 2021;13(9):3269. doi:10.3390/nu13093269.
- Gulati S, Misra A, Pandey RM. Effect of almond supplementation on glycemia and cardiovascular risk factors in Asian Indians in North India with type 2 diabetes mellitus: a 24-week study. *Metab Syndr Relat Disord*. 2017;15(2):98-105. doi:10.1089/met.2016.0066.
- Stockler-Pinto MB, Malm O, Moraes C, et al. A follow-up study of the chronic kidney disease patients treated with Brazil nut: focus on inflammation and oxidative stress. *Biol Trace Elem Res*. 2015;163(1-2):67-72. doi:10.1007/s12011-014-0167-5.
- Mandalari G, Barreca D, Gervasi T, et al. Pistachio nuts (*Pistacia vera* L.): production, nutrients, bioactives and novel health effects. *Plants (Basel)*. 2021;11(1):18. doi:10.3390/plants11010018.
- Borkowski K, Yim SJ, Holt RR, et al. Walnuts change lipoprotein composition suppressing TNF alpha-stimulated cytokine production by diabetic adipocyte. *J Nutr Biochem*. 2019;68:51-58. doi:10.1016/j.jnutbio.2019.03.004.
- Ghanavati M, Hosseinabadi SM, Parsa SA, et al. Effect of a nut-enriched low-calorie diet on body weight and selected markers of inflammation in overweight and obese stable coronary artery disease patients: a randomized controlled study. *Eur J Clin Nutr*. 2021;75(7):1099-1108. doi:10.1038/s41430-020-00819-9.
- da Silva CS, Monteiro CRA, da Silva GHF, et al. Assessing the metabolic impact of ground chia seed in overweight and obese prepubescent children: results of a double-blind randomized clinical trial. *J Med Food*. 2020;23(3):224-232. doi:10.1089/jmf.2019.0055.
- Askarpour M, Karimi M, Hadi A, et al. Effect of flaxseed supplementation on markers of inflammation and endothelial function: a systematic review and meta-analysis. *Cytokine*. 2020;126:154922. doi:10.1016/j.cyto.2019.154922.
- Khandouzi N, Zahedmehr A, Mohammadzadeh A, et al. Effect of flaxseed consumption on flow-mediated dilation and inflammatory biomarkers in patients with coronary artery disease: a randomized controlled trial. *Eur J Clin Nutr*. 2019;73(2):258-265. doi:10.1038/s41430-018-0268-x.

Scientific/Medical Publications

- Rezapour-Firouzi S, Arefhosseini SR, Ebrahimi-Mamaghani M, et al. Erythrocyte membrane fatty acids in multiple sclerosis patients and hot-nature dietary intervention with co-supplemented hemp-seed and evening-primrose oils. *Afr J Tradit Complement Altern Med*. 2013;10(6):519-527. doi:10.4314/ajtcam.v10i6.22.
- Ristic-Medic D, Perunicic-Pekovic G, Rasic-Milutinovic Z, et al. Effects of dietary milled seed mixture on fatty acid status and inflammatory markers in patients on hemodialysis. *Scientific World Journal*. 2014;2014:563576. doi:10.1155/2014/563576.
- Fleck AK, Hucke S, Teipel F, et al. Dietary conjugated linoleic acid links reduced intestinal inflammation to amelioration of CNS autoimmunity. *Brain*. 2021;144(4):1152-1166. doi:10.1093/brain/awab040.
- Zhao X, Xiang X, Huang J, et al. Studying the evaluation model of the nutritional quality of edible vegetable oil based on dietary nutrient reference intake. *ACS Omega*. 2021;6(10):6691-6698. doi:10.1021/acsomega.0c05544.
- Zhang J, Wang C, Li L, et al. Dietary inclusion of salmon, herring and pompano as oily fish reduces CVD risk markers in dyslipidaemic middle-aged and elderly Chinese women. *Br J Nutr*. 2012;108(8):1455-1465. doi:10.1017/S0007114511006866.
- Costabile G, Della Pepa G, Vetrani C, et al. An oily fish diet improves subclinical inflammation in people at high cardiovascular risk: a randomized controlled study. *Molecules*. 2021;26(11):3369. doi:10.3390/molecules26113369.
- Gambino CM, Accardi G, Aiello A, et al. Effect of extra virgin olive oil and table olives on the immune inflammatory responses: potential clinical applications. *Endocr Metab Immune Disord Drug Targets*. 2018;18(1):14-22. doi:10.2174/1871530317666171114113822.
- Fernandes J, Fialho M, Santos R, et al. Is olive oil good for you? A systematic review and meta-analysis on anti-inflammatory benefits from regular dietary intake. *Nutrition*. 2020;69:110559. doi:10.1016/j.nut.2019.110559.
- Wang L, Tao L, Hao L, et al. A moderate-fat diet with one avocado per day increases plasma antioxidants and decreases the oxidation of small, dense LDL in adults with overweight and obesity: a randomized controlled trial. *J Nutr*. 2020;150(2):276-284. doi:10.1093/jn/nxz231.
- Li Z, Wong A, Henning SM, et al. Hass avocado modulates postprandial vascular reactivity and postprandial inflammatory responses to a hamburger meal in healthy volunteers. *Food Funct*. 2013;4(3):384-391. doi:10.1039/c2fo30226h.
- Stupin A, Mihalj M, Kolobaric N, et al. Anti-inflammatory potential of n-3 polyunsaturated fatty acids enriched hen eggs consumption in improving microvascular endothelial function of healthy individuals-clinical trial. *Int J Mol Sci*. 2020;21(11):4149. doi:10.3390/ijms21114149.

Scientific/Medical Publications

- Ballesteros MN, Valenzuela F, Robles AE, et al. One egg per day improves inflammation when compared to an oatmeal-based breakfast without increasing other cardiometabolic risk factors in diabetic patients. *Nutrients*. 2015;7(5):3449-3463. doi:10.3390/nu7053449.
- McAfee AJ, McSorley EM, Cuskelly GJ, et al. Red meat from animals offered a grass diet increases plasma and platelet n-3 PUFA in healthy consumers. *Br J Nutr*. 2011;105(1):80-89. doi:10.1017/S0007114510003090.
- Alothman M, Hogan SA, Hennessy D, et al. The “grass-fed” milk story: understanding the impact of pasture feeding on the composition and quality of bovine milk. *Foods*. 2019;8(8):350. doi:10.3390/foods8080350.
- Wastyk HC, Fragiadakis GK, Perelman D, et al. Gut-microbiota-targeted diets modulate human immune status. *Cell*. 2021;184(16):4137-4153.e14. doi:10.1016/j.cell.2021.06.019.
- Kok CR, Hutkins R. Yogurt and other fermented foods as sources of health-promoting bacteria. *Nutr Rev*. 2018;76(Suppl 1):4-15. doi:10.1093/nutrit/nuy056.
- Sanlier N, Gökçen BB, Sezgin AC. Health benefits of fermented foods. *Crit Rev Food Sci Nutr*. 2019;59(3):506-527. doi:10.1080/10408398.2017.1383355.
- Santurino C, López-Plaza B, Fontecha J, et al. Consumption of goat cheese naturally rich in omega-3 and conjugated linoleic acid improves the cardiovascular and inflammatory biomarkers of overweight and obese subjects: a randomized controlled trial. *Nutrients*. 2020;12(5):1315. doi:10.3390/nu12051315.
- He J, Zhang P, Shen L, et al. Short-chain fatty acids and their association with signalling pathways in inflammation, glucose and lipid metabolism. *Int J Mol Sci*. 2020;21(17):6356. doi:10.3390/ijms21176356.
- Ton AMM, Campagnaro BP, Alves GA, et al. Oxidative stress and dementia in Alzheimer's patients: effects of synbiotic supplementation. *Oxid Med Cell Longev*. 2020;2020:2638703. doi:10.1155/2020/2638703.
- Yilmaz I, Dolar ME, Özpınar H. Effect of administering kefir on the changes in fecal microbiota and symptoms of inflammatory bowel disease: a randomized controlled trial. *Turk J Gastroenterol*. 2019;30(3):242-253. doi:10.5152/tjg.2018.18227.
- Rundblad A, Holven KB, Oyri LKL, et al. Intake of fermented dairy products induces a less pro-inflammatory postprandial peripheral blood mononuclear cell gene expression response than non-fermented dairy products: a randomized controlled cross-over trial. *Mol Nutr Food Res*. 2020;64(21):e2000319. doi:10.1002/mnfr.202000319.

Scientific/Medical Publications

- Pei R, DiMarco DM, Putt KK, et al. Low-fat yogurt consumption reduces biomarkers of chronic inflammation and inhibits markers of endotoxin exposure in healthy premenopausal women: a randomised controlled trial. *Br J Nutr*. 2017;118(12):1043-1051. doi:10.1017/S0007114517003038.
- Nielsen ES, Garnås E, Jensen KJ, et al. Lacto-fermented sauerkraut improves symptoms in IBS patients independent of product pasteurisation - a pilot study. *Food Funct*. 2018;9(10):5323-5335. doi:10.1039/c8fo00968f.
- Kim HJ, Noh JS, Song YO. Beneficial effects of kimchi, a Korean fermented vegetable food, on pathophysiological factors related to atherosclerosis. *J Med Food*. 2018;21(2):127-135. doi:10.1089/jmf.2017.3946.
- Ahnan-Winarno AD, Cordeiro L, Winarno FG, et al. Tempeh: a semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. *Comprehensive Rev Food Sci Food Safety*. 2021;20:1717-1767. doi.org/10.1111/1541-4337.12710.
- Yu J, Bi X, Yu B, Chen D. Isoflavones: anti-inflammatory benefit and possible caveats. *Nutrients*. 2016;8(6):361. doi:10.3390/nu8060361.
- Costa MAC, Vilela DLS, Fraiz GM, et al. Effect of kombucha intake on the gut microbiota and obesity-related comorbidities: a systematic review. *Crit Rev Food Sci Nutr*. 2021;1-16. doi:10.1080/10408398.2021.1995321.
- Chung BY, Park SY, Byun YS, et al. Effect of different cooking methods on histamine levels in selected foods. *Ann Dermatol*. 2017;29(6):706-714. doi:10.5021/ad.2017.29.6.706.
- Vázquez-Fresno R, Rosana ARR, Sajed T, Onookome-Okome T, Wishart NA, Wishart DS. Herbs and spices - biomarkers of intake based on human intervention studies - a systematic review. *Genes Nutr*. 2019;14:18. doi:10.1186/s12263-019-0636-8.
- Aghasi M, Koohdani F, Qorbani M, et al. Beneficial effects of green cardamom on serum SIRT1, glycemic indices and triglyceride levels in patients with type 2 diabetes mellitus: a randomized double-blind placebo controlled clinical trial. *J Sci Food Agric*. 2019;99(8):3933-3940. doi:10.1002/jsfa.9617.
- Kazemi S, Yaghooblou F, Siassi F, et al. Cardamom supplementation improves inflammatory and oxidative stress biomarkers in hyperlipidemic, overweight, and obese pre-diabetic women: a randomized double-blind clinical trial. *J Sci Food Agric*. 2017;97(15):5296-5301. doi:10.1002/jsfa.8414.
- Shishehbor F, Rezaeyan Safar M, Rajaei E, Haghighizadeh MH. Cinnamon consumption improves clinical symptoms and inflammatory markers in women with rheumatoid arthritis. *J Am Coll Nutr*. 2018;1-6. doi:10.1080/07315724.2018.1460733.
- Zareie A, Sahebkar A, Khorvash F, et al. Effect of cinnamon on migraine attacks and inflammatory markers: a randomized double-blind placebo-controlled trial. *Phytother Res*. 2020;34(11):2945-2952. doi:10.1002/ptr.6721.

Scientific/Medical Publications

- Arablou T, Aryaeian N, Valizadeh M, et al. The effect of ginger consumption on glycemic status, lipid profile and some inflammatory markers in patients with type 2 diabetes mellitus. *Int J Food Sci Nutr*. 2014;65(4):515-520. doi:10.3109/09637486.2014.880671.
- Pour FK, Aryaeian N, Mokhtare M, et al. The effect of saffron supplementation on some inflammatory and oxidative markers, leptin, adiponectin, and body composition in patients with nonalcoholic fatty liver disease: a double-blind randomized clinical trial. *Phytother Res*. 2020;34(12):3367-3378. doi:10.1002/ptr.6791.
- Behrouz V, Sohrab G, Hedayati M, Sedaghat M. Inflammatory markers response to crocin supplementation in patients with type 2 diabetes mellitus: a randomized controlled trial. *Phytother Res*. 2021;35(7):4022-4031. doi:10.1002/ptr.7124.
- Oh ES, Petersen KS, Kris-Etherton PM, Rogers CJ. Spices in a high-saturated-fat, high-carbohydrate meal reduce postprandial proinflammatory cytokine secretion in men with overweight or obesity: a 3-period, crossover, randomized controlled trial. *J Nutr*. 2020;150(6):1600-1609. doi:10.1093/jn/nxaa063.
- Uchio R, Kawasaki K, Okuda-Hanafusa C, et al. Curcuma longa extract improves serum inflammatory markers and mental health in healthy participants who are overweight: a randomized, double-blind, placebo-controlled trial. *Nutr J*. 2021;20(1):91. doi:10.1186/s12937-021-00748-8.
- Heidari-Beni M, Moravejolahkami AR, Gorgian P, et al. Herbal formulation "turmeric extract, black pepper, and ginger" versus naproxen for chronic knee osteoarthritis: a randomized, double-blind, controlled clinical trial. *Phytother Res*. 2020;34(8):2067-2073. doi:10.1002/ptr.6671.
- Mahmoud F, Haines D, Al-Ozairi E, Dashti A. Effect of black tea consumption on intracellular cytokines, regulatory T cells and metabolic biomarkers in type 2 diabetes patients. *Phytother Res*. 2016;30(3):454-462. doi:10.1002/ptr.5548.
- Khan N, Mukhtar H. Tea and health: studies in humans. *Curr Pharm Des*. 2013;19(34):6141-6147. doi:10.2174/1381612811319340008.
- Kuchta A, Konopacka A, Waleron K, et al. The effect of Cistus incanus herbal tea supplementation on oxidative stress markers and lipid profile in healthy adults. *Cardiol J*. 2021;28(4):534-542. doi:10.5603/CJ.a2019.0028.
- Bagheri R, Rashidlamir A, Ashtary-Larky D, et al. Does green tea extract enhance the anti-inflammatory effects of exercise on fat loss? *Br J Clin Pharmacol*. 2020;86(4):753-762. doi:10.1111/bcp.14176.
- Ohishi T, Goto S, Monira P, et al. Anti-inflammatory action of green tea. *Antiinflamm Antiallergy Agents Med Chem*. 2016;15(2):74-90. doi:10.2174/1871523015666160915154443.

Scientific/Medical Publications

- Panza VP, Brunetta HS, de Oliveira MV, et al. Effect of mate tea (*Ilex paraguariensis*) on the expression of the leukocyte NADPH oxidase subunit p47phox and on circulating inflammatory cytokines in healthy men: a pilot study. *Int J Food Sci Nutr*. 2019;70(2):212-221. doi:10.1080/09637486.2018.1486393.
- Balsan G, Pellanda LC, Sausen G, et al. Effect of yerba mate and green tea on paraoxonase and leptin levels in patients affected by overweight or obesity and dyslipidemia: a randomized clinical trial. *Nutr J*. 2019;18(1):5. doi:10.1186/s12937-018-0426-y.
- Martins GMDS, França AKTDC, Viola PCAF, et al. Intake of ultra-processed foods is associated with inflammatory markers in Brazilian adolescents. *Public Health Nutr*. 2021;1-9. doi:10.1017/S1368980021004523.
- Um CY, Hodge RA, Tran HQ, et al. Association of emulsifier and highly processed food intake with circulating markers of intestinal permeability and inflammation in the cancer prevention study-3 diet assessment sub-study. *Nutr Cancer*. 2021;1-11. doi:10.1080/01635581.2021.1957947.
- Juul F, Vaidean G, Parekh N. Ultra-processed foods and cardiovascular diseases: potential mechanisms of action. *Adv Nutr*. 2021;12(5):1673-1680. doi:10.1093/advances/nmab049.
- Izquierdo VP, Florez C, Molano WB, et al. P062 chromoendoscopy with magnification colonoscopy: analysis of mucosa of colon and ileum in patients with gastrointestinal symptoms without IBD. *Am J Gastroenterol*. 2021;116(Suppl 1):S16. doi:10.14309/01.ajg.0000798848.57615.18.
- Dieterich W, Tietz E, Kohl M, et al. Food intolerance of unknown origin: caused by mucosal inflammation? A pilot study. *Clin Transl Gastroenterol*. 2021;12(2):e00312. doi:10.14309/ctg.0000000000000312

